

EAST SEARCH

2/23/06

L#	Hits	Search String	Databases
S1	5270	((digital or data) near2 communication) with (equalization or modulation or "symbol interferen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S2	3461	S1 and (constellation\$1 or channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S3	116	S2 and (channel\$1 near2 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S4	16	S2 and (reliable near2 symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S5	484	S2 and (constellation\$1 near2 (size or point\$1 or square or general or order or axis or estimat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S6	22	S3 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S7	578	S3 or S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S8	3	S7 and (sample\$1 with reliability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S9	2	S2 and (reliable near2 sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S10	3	S7 and (reliability with (threshold or limit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S11	8	S2 and (sample\$1 with reliability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S12	19	S2 and (reliability with (threshold or limit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S13	34	S2 and (sample\$1 with (constellation\$1 near2 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S14	4	S7 and (sample\$1 with (priorit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S16	19	S2 and (constellation\$1 with reliability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S17	103	S2 and (distance with (constellation\$1 near2 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S18	103	S7 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S19	6	S3 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S21	0	S2 and ((constellation\$1 near2 ring) with width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22	7	S2 and (constellation\$1 with width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S23	88	S2 and (sample\$1 with window\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S24	122	S2 and ((reliable near2 symbol\$1) or ((channel\$1 near2 gain) and (constellation\$1 near2 (siz	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S25	183	S18 or S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S26	39	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S27	122	S24 or S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S28	29	6,581,179.pn. or "6,556,634".pn. or "6,570,910".pn. or "6,438,174".pn. or "6,757,299".pn. or "1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S29	1	S27 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S15	6	S2 and (sample\$1 with (priorit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S30	10	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S20	1	S2 and (constellation\$1 near2 governing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S31	5279	((digital or data) near2 communication) with (equalization or modulation or "symbol interferen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S32	3470	S31 and (constellation\$1 or channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S33	116	S32 and (channel\$1 near2 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S34	487	S32 and (constellation\$1 near2 (size or point\$1 or square or general or order or axis or estim	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S35	581	S33 or S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S36	105	S32 and (distance with (constellation\$1 near2 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S37	105	S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S38	90	S32 and (sample\$1 with window\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S39	123	S32 and ((reliable near2 symbol\$1) or ((channel\$1 near2 gain) and (constellation\$1 near2 (si	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S40	187	S37 or S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S41	40	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S42	123	S39 or S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S43	7	S32 and (sample\$1 with (priorit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S44	10	S38 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S45	328782	((digital or data or mobile) near2 communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S46	5657	S45 and constellation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S47	455	S46 and (constellation near2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S48	226	S46 and (symbol near2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S49	83	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S50	1984	S45 and (channel near2 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S53	16	S47 and (rectangular near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S54	20	S47 and (general near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S56	52	S46 and (constellation near2 axis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S58	299	S47 and (constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S61	273	S47 and (sample)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S57	1928	S46 and (constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S63	6	S62 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S65	0	S46 and (prioritiz\$3 with (constellation near2 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S67	431	S46 and (distance with (constellation near2 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S68	19	S46 and (distance with (constellation near2 point\$1) with (limit or threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S69	0	S67 and (governing near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S70	1	S46 and (governing near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S71	1	S45 and (governing near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S72	267	S49 or S51 or S52 or S53 or S54 or S55 or S56 or S59 or S60 or S62 or S63 or S64 or S66 c	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S51	26	S49 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S73	68	S47 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S52	69	S47 and (square near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S55	50	S47 and (constellation near2 order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S59	7	S47 and (maximum near2 constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S60	11	S47 and (magnitude near2 constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S62	8	S46 and ("two dimensional" or "two-dimensional") near2 sample)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S64	5	S46 and (prioritiz\$3 with sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S66	3	S46 and ((scale\$1 near2 value) with (constellation near2 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S74	329284	((digital or data or mobile) near2 communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S75	5675	S74 and constellation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S76	455	S75 and (constellation near2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S77	226	S75 and (symbol near2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S78	83	S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S79	1990	S74 and (channel near2 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S80	26	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S81	69	S76 and (square near2 constellation)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S82	16	S76 and (rectangular near2 constellation)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S83	20	S76 and (general near2 constellation)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S84	50	S76 and (constellation near2 order)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S85	52	S75 and (constellation near2 axis)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S86	1932	S75 and (constellation near2 point)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S87	7	S76 and (maximum near2 constellation near2 point)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S88	11	S76 and (magnitude near2 constellation near2 point)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S89	8	S75 and ("two dimensional" or "two-dimensional") near2 sample)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S90	6	S89 and S86	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S91	5	S75 and (prioritiz\$3 with sample\$1)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S92	3	S75 and ((scale\$1 near2 value) with (constellation near2 point))	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S93	19	S75 and (distance with (constellation near2 point\$1) with (limit or threshold))	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S94	1	S75 and (governing near2 constellation)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S95	267	S78 or S80 or S81 or S82 or S83 or S84 or S85 or S87 or S88 or S89 or S90 or S91 or S92	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S96	68	S76 and S79	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S97	69	S76 and (square near2 constellation)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S98	8	S75 and ("two dimensional" or "two-dimensional") near2 sample)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S99	5	S75 and (prioritiz\$3 with sample\$1)	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S100	3	S75 and ((scale\$1 near2 value) with (constellation near2 point))	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S102	2	S75 and (estimat\$3 near2 (constellation near2 size))	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB
S101	51	S75 and (estimat\$3 near2 "channel gain")	US-PGPUB: USPAT; EPO; JPO; DERWENT; IBM_TDB

09/899,852

Elion Riess

EAST SEARCH

2/23/06

Results of search set S95:

Document Kind	Code	Title	Issue Date	Current OR	Abstract
US	20050135466	A1	Method for accurate estimation of noise for data modems	20050623 37/5/227	
US	20050129147	A1	Method and system for modulating and detecting high data-rate symbol communications	20050616 37/5/324	
US	20050128938	A1	Channel estimation and synchronization and/or demodulation using polyphase code	20050616 37/0/210	
US	20050123061	A1	Multidimensional signal modulation and/or demodulation for data communications	20050609 37/5/261	
US	20050113121	A1	Apparatus, and associated method, for communicating communication data in a multiple-input	20050526 45/5/501	
US	20050105631	A1	Full-diversity, full-rate complex-field space-time coding for wireless communication	20050519 37/5/267	
US	20050084029	A1	Apparatus and method for mode transition of a transmit diversity scheme in a mobile commun	20050421 37/5/267	
US	20050074070	A1	System and method for adapting to a change in constellation density while receiving a signal	20050407 37/5/265	
US	20050058215	A1	Decoding upstream V.92-encoded signals	20050317 37/5/262	
US	20050058213	A1	Bit allocation among carriers in multicarrier communications	20050317 37/5/260	
US	20050047517	A1	Adaptive modulation for multi-antenna transmissions with partial channel knowledge	20050303 37/5/267	
US	20050036565	A1	Methods and devices for decoding signals containing noise and distortion	20050217 37/5/262	

US 20050031097 A1	Gateway with voice	20050210 379/93.31
US 20050018798 A1	Voice and data exchange over a packet based network with timing recovery	20050127 375/355
US 20050010855 A1	Reduced complexity decoding for trellis coded modulation	20050113 714/796
US 20050002464 A1	Data re-transferring method based on bit transformation	20050106 375/261
US 20050002325 A1	Space-time-frequency coded OFDM communications over frequency-selective fading channel	20050106 370/208
US 20040267852 A1	Algorithm for computing distances to a received point in an ADSL system	20041230 708/490
US 20040258172 A1	Method and system for data rate optimization in a digital communication system	20041223 375/261
US 20040252788 A1	Demodulation for phase modulation	20041216 375/329
US 20040252648 A1	Off-line broadband network interface	20041216 370/252
US 20040252632 A1	Method and apparatus for multi-user multi-input multi-output transmission	20041216 370/210
US 20040240577 A1	Partially coherent constellations for multiple-antenna systems	20041202 375/267
US 20040194006 A1	Algebraic geometric code adapted to error bursts	20040930 714/800
US 20040194004 A1	Trellis interleaver and feedback precoder	20040930 714/792
US 20040190649 A1	Joint, adaptive control of equalization, synchronization, and gain in a digital communications system	20040930 375/326
US 20040161059 A1	Signal estimation methods and apparatus	20040819 375/341
US 20040151256 A1	Apparatus and method for transmitting and receiving data in a mobile communication system	20040805 375/267
US 20040141548 A1	Software adaptable high performance multicarrier transmission protocol	20040722 375/146
US 20040136465 A1	Data transmission/reception apparatus and method for achieving both multiplexing gain and capacity	20040715 375/267
US 20040132416 A1	Equalisation apparatus and methods	20040708 455/82
US 20040128334 A1	Rake optimization using hardware acceleration	20040701 708/409
US 20040120274 A1	CDMA transceiver techniques for wireless communications	20040624 370/320
US 20040114450 A1	Constellation mapping apparatus and method	20040617 365/230.03
US 20040109092 A1	Gain control for a high definition television demodulator	20040610 348/726
US 20040100897 A1	Carrier interferometry coding with applications to cellular and local area networks	20040527 370/206
US 20040096022 A1	Combining precoding with spectral shaping	20040520 375/353
US 20040091058 A1	QAM receiver and method for constellations having at least sixteen symbols	20040513 375/261
US 20040082356 A1	MIMO WLAN system	20040429 455/522
US 20040039983 A1	Process for modulation and determination of the bit loading on a transmission channel	20040226 714/758
US 20040038654 A1	Method and apparatus for generating a 64 state 4-D trellis code in DMT	20040226 455/130
US 20040037238 A1	Orthogonal code division multiple access on return link of satellite links	20040226 370/321
US 20040033808 A1	Method and system for determining relative positions of networked mobile communication devices	20040219 455/456.1
US 20040028159 A1	Receivers, methods, and computer program products for an analog modem that receives data	20040212 375/350
US 20040022179 A1	Wireless communication system having error-control code and linear precoder	20040205 370/207
US 20040021555 A1	Method and system for implementing a sigma delta analog-to-digital converter	20040205 341/144
US 20040013190 A1	Method and apparatus for hybrid decision feedback equalization	20040122 375/233
US 20040013189 A1	Soft slicer in a hybrid decision feedback equalizer	20040122 375/233
US 20040001561 A1	Method and system for the transmission, reception and processing of 4-level and 8-level signals	20040101 375/308
US 20040001537 A1	Apparatus, and associated method, for performing joint equalization in a multiple-input, multiple-output system	20040101 375/229
US 20040001448 A1	System and method for transmitting highly correlated preambles in QAM constellations	20040101 370/280
US 20030235245 A1	Method and system for computing pre-equalizer coefficients	20031225 375/232
US 20030223505 A1	Data transceiver with filtering and precoding	20031204 375/261
US 20030223483 A1	DSL modem apparatus and reception method for DSL communication	20031204 375/222
US 20030223353 A1	Method and apparatus for decoding baseband orthogonal frequency division multiplex signals	20031204 370/206

US 20030215023 A1	Multi-dimensional fractional number of bits modulation scheme	20031120 37/5/265
US 20030210750 A1	Multiple input, multiple output system and method	20031113 37/5/295
US 20030206559 A1	Method of determining a start of a transmitted frame in a frame-based communications network	20031106 37/0/509
US 20030202612 A1	Method and system for rate enhanced SHDSL	20031030 37/5/265
US 20030198268 A1	Modems, methods, and computer program products for selecting an optimum data rate using	20031023 37/5/222
US 20030194000 A1	Distinguishing between final coding of received signals in a PCM modem	20031016 37/5/222
US 20030189976 A1	PCM upstream data transmission server	20031009 37/5/222
US 20030185319 A1	Modified branch metrics for processing soft decisions to account for phase noise impact on channel	20031002 37/5/347
US 20030161258 A1	Apparatus, and associated method, for a multiple-input, multiple-output communications system	20030828 37/0/203
US 20030159100 A1	Turbo code based incremental redundancy	20030821 714/7/58
US 20030156592 A1	Carrierless backwards compatible data networking transmitter, receiver, and signal format	20030821 37/5/295
US 20030152023 A1	Carrier based backwards compatible data networking transmitter, receiver, and signal format	20030821 37/0/419
US 20030152022 A1	Orthogonal frequency division multiplexing system with differing control parameters corresponding to different data streams	20030814 37/0/208
US 20030147343 A1	Linear space-time block code with block STTD structure	20030807 37/0/209
US 20030141938 A1	QUADRATURE VESTIGIAL SIDEBAND DIGITAL COMMUNICATIONS METHOD	20030731 332/1/03
US 20030138061 A1	Voice and data exchange over a packet based network with timing recovery	20030724 37/5/326
US 20030112796 A1	Voice and data exchange over a packet based network with fax relay spoofing	20030619 37/0/352
US 20030084394 A1	Multi-frequency data transmission channel power allocation	20030501 714/7/55
US 20030076890 A1	Method and apparatus for detection and decoding of signals received from a linear propagation channel	20030424 37/5/264
US 20030076889 A1	Constellation mapping for modulated communications	20030424 37/5/261
US 20030067992 A1	Optimal trellis code design for QPSK and higher order quadrature amplitude modulations	20030410 37/5/265
US 20030063664 A1	Adaptive thresholding for adaptive equalization	20030403 37/5/232
US 20030063654 A1	Space-time transmit diversity	20030403 37/5/130
US 20030048857 A1	Space-time transmit diversity	20030313 37/5/267
US 20030039217 A1	Apparatus and method for transmitting/receiving uplink transmission power offset and HS-DS	20030227 37/0/318
US 20030035469 A1	Linear minimum mean square error equalization with interference cancellation for mobile communications	20030220 37/5/150
US 20030021358 A1	128-Ary signal constellations suitable for non-linear amplification	20030130 37/5/297
US 20030002593 A1	M-ary signal constellations suitable for non-linear amplification	20030102 37/5/298
US 20020181369 A1	Channel estimation for wireless OFDM systems	20021205 37/0/208
US 20020172212 A1	Method and system for increasing data throughput in communications channels on an opportunistic basis	20021121 37/0/412
US 20020163932 A1	Method of providing synchronous transport of packets between asynchronous network nodes	20021107 37/0/465
US 20020141493 A1	Distinguishing between final coding of received signals in a PCM modem	20021003 37/5/222
US 20020136317 A1	Block coding for multilevel data communication	20020926 37/5/261
US 20020131441 A1	Method of determining an end of a transmitted frame in a frame-based communications network	20020919 37/0/441
US 20020118340 A1	Range-extending system and spatial filter for enhancing hartmann-shack images and associated methods	20020829 35/1/211
US 20020105928 A1	Method and apparatus for interference suppression in orthogonal frequency division multiplexing	20020808 37/0/334
US 20020090035 A1	Super-orthogonal space-time trellis codes, and applications thereof	20020711 37/5/265
US 20020080866 A1	Method for selecting frame encoding parameters in a frame-based communications network	20020627 37/5/295
US 20020075830 A1	Adaptive modulation for fixed wireless link in cable transmission system	20020620 37/0/333
US 20020057717 A1	Method of sharing information among a plurality of stations in a frame-based communications network	20020516 37/0/503
US 20020057713 A1	Method for selecting frame encoding parameters to improve transmission performance in a frame-based communications network	20020516 37/0/468
US 20020051501 A1	Use of turbo-like codes for QAM modulation using independent I and Q decoding techniques	20020502 37/5/298

US 20020044610 A1	DSL rate adaptation	20020418 375/261
US 20020044073 A1	System and method for Huffman shaping in a data communication system	20020418 341/65
US 20020042836 A1	Method of enhancing network transmission on a priority-enabled frame-based communication	20020411 709/232
US 20020041570 A1	Method for providing dynamic adjustment of frame encoding parameters in a frame-based communication	20020411 370/252
US 20020037055 A1	System and method of data communication using trellis coded modulation or turbo trellis code	20020328 375/265
US 20020034263 A1	Wireless communications	20020321 375/299
US 20020031190 A1	System and method of data communication using turbo trellis coded modulation combined with	20020314 375/265
US 20020027886 A1	Method of controlling data sampling clocking of asynchronous network nodes in a frame-based	20020307 370/255
US 20020026523 A1	Method for distributing sets of collision resolution parameters in a frame-based communication	20020228 709/236
US 20020012343 A1	Transceiver method and signal therefor embodied in a carrier wave for a frame-based communication	20020131 370/389
US 20020006136 A1	Method for selecting an operating mode for a frame-based communications network	20020117 370/466
US 20010055311 A1	Method of determining a collision between a plurality of transmitting stations in a frame-based	20011227 370/445
US 20010017900 A1	Method to transfer trellis code modulated digital data over a digital subscriber line, and related	20010830 375/265
US 6917559 B2	Constellation mapping apparatus and method	20050712 365/230.03
US 6914634 B1	Multiplier-free methods and apparatus for signal processing in a digital communication system	20050705 375/229
US 6909755 B2	Method and system for increasing data throughput in communications channels on an opportunity	20050621 375/264
US 6904082 B2	DSL rate adaptation	20050607 375/220
US 6898204 B2	Method of determining a collision between a plurality of transmitting stations in a frame-based	20050524 370/445
US 6891896 B1	Embedded signal constellations	20050510 375/264
US 6891881 B2	Method of determining an end of a transmitted frame in a frame-based communications network	20050510 375/143
US 6888644 B2	Method for selecting an operating mode for a frame-based communications network	20050503 370/466
US 6882634 B2	Method for selecting frame encoding parameters to improve transmission performance in a frame-based	20050419 370/338
US 6877043 B2	Method for distributing sets of collision resolution parameters in a frame-based communication	20050405 709/251
US 6870888 B1	Bit allocation among carriers in multicarrier communications	20050322 375/260
US 6868072 B1	Home phone line network architecture	20050315 370/276
US 6850577 B2	Voice and data exchange over a packet based network with timing recovery	20050201 375/326
US 6850493 B1	Off-line broadband network interface	20050201 370/252
US 6823002 B1	Linear block interleaver for discrete multi-tone modulation	20041123 375/219
US 6819719 B2	Method to transfer trellis code modulated digital data over a digital subscriber line, and related	20041116 375/262
US 6816548 B1	HDTV channel equalizer	20041109 375/233
US 6804267 B1	Transceiver training for DSL modems under TCM-ISDN interference	20041012 370/524
US 6795424 B1	Method and apparatus for interference suppression in orthogonal frequency division multiplex	20040921 370/343
US 6788236 B2	Method and system for implementing a sigma delta analog-to-digital converter	20040907 341/155
US 6778597 B2	Distinguishing between final coding of received signals in a PCM modem	20040817 375/222
US 6765931 B1	Gateway with voice	20040720 370/493
US 6760347 B1	Off-line broadband network interface	20040706 370/516
US 6757859 B1	Parallel turbo trellis-coded modulation	20040629 714/755
US 6744814 B1	Method and apparatus for reduced state sequence estimation with tap-selectable decision-feedback	20040601 375/232
US 6715124 B1	Trellis interleaver and feedback precoder	20040330 714/792
US 6704324 B1	Apparatus and method for transmission of voice band signals over a DSL line	20040309 370/465
US 6693958 B1	Adaptive channel equalizer having a training mode	20040217 375/232
US 6690736 B1	Bit allocation in a transmission system	20040210 375/260
US 6668014 B1	Equalizer method and apparatus using constant modulus algorithm blind equalization and pair	20031223 375/232

US 6665336 B2	MODEMS, METHODS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING AN O	20031216 375/225
US 6661837 B1	MODEMS, METHODS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING AN O	20031209 375/227
US 6654846 B1	High speed computer bus system with bi-directional transmission medium and interface devic	20031125 710/305
US 6608869 B1	Dual-carrier heterodyne for separating orthogonal components of complex amplitude-modulat	20030819 375/261
US 6606355 B1	Channel coding in the presence of bit robbing	20030812 375/242
US 6606010 B1	Quadrature vestigial sideband digital communications method	20030812 332/103
US 6577683 B1	Method and device for generating signal constellations in PCM space for high speed data cor	20030610 375/242
US 6574285 B2	128-ary signal constellations suitable for non-linear amplification	20030603 375/297
US 6567477 B1	Two-dimensional constellation generation, pruning, and partial gray coding for bandwidth and	20030520 375/295
US 6567475 B1	Method and system for the transmission, reception and processing of 4-level and 8-level sign	20030520 375/286
US 6565209 B2	Range-extending system and spatial filter for enhancing Hartmann-Shack images and associ	20030520 351/212
US 6560277 B2	Distinguishing between final coding of received signals in a PCM modem	20030506 375/222
US 6549587 B1	Voice and data exchange over a packet based network with timing recovery	20030415 375/326
US 6549584 B1	Coding scheme for cable modems	20030415 375/261
US 6504838 B1	Voice and data exchange over a packet based network with fax relay spoofing	20030107 370/352
US 6487244 B1	System and method for transmitting special marker symbol	20021126 375/222
US 6487243 B1	Modems, methods, and computer program products for recovering from errors in a tone rever	20021126 375/222
US 6473878 B1	Serial-concatenated turbo codes	20021029 714/755
US 6466586 B1	Digital subscriber line framing structure supporting imbedded rate adaptive synchronous and	20021015 370/468
US 6421394 B1	Computer method and apparatus for modem point slicing	20020716 375/261
US 6389064 B1	Modems, methods, and computer program products for identifying a signaling alphabet in var	20020514 375/222
US 6389062 B1	Adaptive frequency domain equalizer circuits, systems, and methods for discrete multitone be	20020514 375/222
US 6385237 B1	Non-invasive digital cable test system	20020507 375/228
US 6381267 B1	Modems, methods, and computer program products for falling back to a lower data rate proto	20020430 375/222
US 6377639 B1	Method, system, and apparatus for unambiguous phase synchronization	20020423 375/354
US 6366326 B1	System for acquiring, processing, and storing video data and program guides transmitted in d	20020402 348/558
US 6356555 B1	Apparatus and method for digital data transmission using orthogonal codes	20020312 370/441
US 6351832 B1	Turbo code symbol interleaver	20020226 714/701
US 6341360 B1	Decision feedback equalizers, methods, and computer program products for detecting severe	20020122 714/704
US 6310909 B1	DSL rate adaptation	20011030 375/220
US 6304594 B1	Interference detection and avoidance technique	20011016 375/222
US 6301315 B1	Methods and systems for symbol estimation in a receiver	20011009 375/346
US 6278730 B1	Non-invasive digital cable test system	20010821 375/224
US 6272171 B1	Robbed bit signaling identification in a PCM modem	20010807 375/222
US 6266795 B1	Turbo code termination	20010724 714/755
US 6266350 B1	Off-line broadband network interface	20010724 370/526
US 6259743 B1	Automatic constellation phase recovery in blind start-up of a dual mode CAP-QAM receiver	20010710 375/261
US 6233274 B1	Non-invasive digital cable test system	20010515 375/227
US 6219378 B1	Digital subscriber line modem initialization	20010417 375/231
US 6185249 B1	Translation table design for a PCM modem	20010206 375/222
US 6181737 B1	Distinguishing received A-law and μ -law signals in a PCM modem	20010130 375/222
US 6178200 B1	Constellation design for a PCM modem	20010123 375/222
US 6167095 A	Method and apparatus for variably allocating upstream and downstream communication spec	20001226 375/285

US 6167034 A	Rate adaptive digital subscriber line (RADSL) modem	20001226 37/0/281
US 6161203 A	Communication system utilizing Reed-Solomon code to achieve auto frame synchronization a	20001212 714/7/07
US 6157678 A	Probabilistic trellis-coded modulation with PCM-derived constellations	20001205 37/5/243
US 6154871 A	Error detection and correction system for a stream of encoded data	20001128 714/7/95
US 6141378 A	Fractionally-spaced adaptively-equalized self-recovering digital receiver for amplitude-phase i	20001031 37/5/232
US 6137829 A	System and method for transmitting special marker symbols	20001024 37/5/222
US 6131180 A	Trellis coded modulation system	20001010 714/7/90
US 6130894 A	Off-line broadband network interface	20001010 37/0/421
US 6115433 A	Adaptively-equalized digital receiver with carrier tracking	20000905 37/5/326
US 6101223 A	System and method for optimizing the uncoded modulation of circular constellations using cir	20000808 37/5/261
US 6097764 A	Pragmatic trellis-coded modulation system and method therefor	20000801 37/5/298
US 6088389 A	System and method for training a plurality of equalizers and a modem employing the system (20000711 37/5/231
US 6075816 A	Windowing technique for blind equalization	20000613 37/5/229
US 6061393 A	Non-invasive digital cable test system	20000509 37/5/224
US 6047175 A	Wireless communication method and device with auxiliary receiver for selecting different char	20000404 455/452.1
US 6031873 A	Nested shell mapping	20000229 37/5/259
US 6026120 A	System and method for using circular constellations with uncoded modulation	20000215 37/5/261
US 6009121 A	Method and device for generating signal constellations in PCM space for high speed data cor	19991228 37/5/254
US 6005897 A	Data communication system and method therefor	19991221 37/5/340
US 6005893 A	Reduced complexity bit allocation to subchannels in a multi-carrier, high speed data transmissi	19991221 37/5/260
US 6005840 A	Complementary encoding and modulation system for use in an orthogonal frequency division	19991221 37/0/206
US 5991308 A	Lower overhead method for data transmission using ATM and SCDMA over hybrid fiber coax	19991123 37/0/395.53
US 5987069 A	Method and apparatus for variably allocating upstream and downstream communication spec	19991116 37/5/285
US 5986596 A	Concise storage and expansion of signal constellations in PCM space for high speed data coi	19991116 341/1/38
US 5970093 A	Fractionally-spaced adaptively-equalized self-recovering digital receiver for amplitude-Phase	19991019 37/5/234
US 5946052 A	System for acquiring and processing video data and program guides transmitted in different c	19990831 348/5/55
US 5946045 A	System for forming program guides and video data for storage and transmission in different c	19990831 725/5/4
US 5940440 A	Generalized multimodulus technique for blind equalization	19990817 37/5/231
US 5862184 A	Mapper for high data rate transmission through channels subject to robbed bit signalling	19990119 37/5/295
US 5859877 A	Simultaneous analog and digital communication using fractional rate encoding	19990112 37/5/298
US 5844844 A	Simultaneous analog and digital communication using partitioning of bits into words	19981201 37/5/298
US 5838724 A	Spectral and power shaping mapper for high data rate signalling	19981117 37/5/222
US 5835731 A	Technique for improving the blind convergence of a two-filter adaptive equalizer	19981110 37/5/235
US 5809074 A	Technique for improving the blind convergence of an adaptive equalizer using a transition alg	19980915 37/5/233
US 5793818 A	Signal processing system	19980811 37/5/326
US 5793807 A	Multimodulus blind equalization using piecewise linear contours	19980811 37/5/233
US 5793759 A	Apparatus and method for digital data transmission over video cable using orthogonal cyclic c	19980811 37/0/342
US 5774500 A	Multi-channel trellis shaper	19980630 37/5/261
US 5751701 A	Rate adaptive digital subscriber line ("RADSL") modem	19980512 37/0/281
US 5742643 A	Quantizing and decoding of phase-amplitude modulated signals in hexagonal code	19980421 37/5/243
US 5742622 A	Error detection and correction system for a stream of encoded data	19980421 714/7/89
US 5729173 A	Demodulation of quadrature amplitude modulation signals	19980317 329/3/08
US 5724396 A	Signal processing system	19980303 37/5/355

US 5684834 A	Simultaneous analog and digital communication using fractional rate encoding	19971104 375/298
US 5659583 A	Tone canceller for QAM demodulator	19970819 375/346
US 5621761 A	Rotationally invariant trellis coding incorporating transparent binary convolutional codes	19970415 375/265
US 5619540 A	Transmission system using block-coded or trellis-coded modulations, receiver and decoder for	19970408 375/341
US 5606578 A	Radio with peak power and bandwidth efficient modulation using asymmetric symbol constellation	19970225 375/298
US 5598432 A	Equalizing received signal samples by receiving input in a first register at a first rate greater than	19970128 375/229
US 5537439 A	Decision directed algorithm control method	19960716 375/232
US 5533048 A	Apparatus and method for compensating for limiter induced non-linear distortion in a wireless	19960702 375/222
US 5506866 A	Side-channel communications in simultaneous voice and data transmission	19960409 375/216
US 5475691 A	Voice activated date rate change in simultaneous voice and data transmission	19951212 370/527
US 5442626 A	Digital communications system with symbol multiplexers	19950815 370/207
US 5428641 A	Device and method for utilizing zero-padding constellation switching with frame mapping	19950627 375/295
US 5398260 A	Method and apparatus for restoring multi level/phase modulation data	19950314 375/286
US 5396518 A	Apparatus and method for communicating digital data using trellis coding with punctured convolutional	19950307 375/265
US 5388124 A	Precoding scheme for transmitting data using optimally-shaped constellations over intersymbol	19950207 375/286
US 5384810 A	Modulo decoder	19950124 375/340
US 5365549 A	Complex signal correlator and method therefor	19941115 375/343
US 5311547 A	Partial-response-channel precoding	19940510 375/290
US 5295159 A	Coordinated coding for digital transmission	19940315 375/260
US 5258987 A	Multilevel coding using trellis-coded modulation and Reed-Solomon codes	19931102 714/758
US 5222077 A	Radix mapping with variable number of symbols in mapping period	19930622 375/261
US 5195107 A	Technique for compensating for intersymbol interference	19930316 375/290
US 5185763 A	Data bit to constellation symbol mapper	19930209 375/262
US 5119403 A	Superframes	19920602 375/261
US 5067139 A	Coherent detector for QPSK modulation in a TDMA system	19911119 375/332
US 5058136 A	Coherent detection for QPSK modulation	19911015 375/332
US 5042052 A	Carrier acquisition scheme for QAM and QPSK data	19910820 375/344
US 5029185 A	Coded modulation for mobile radio	19910702 375/245
US 4980897 A	Multi-channel trellis encoder/decoder	19901225 375/265
US 4959842 A	Signal constellations	19900925 375/261
US 4891806 A	Constellation multiplexed inband secondary channel for voiceband modem	19900102 370/503
US 4847797 A	Adaptive blind equalization method and device	19890711 708/3
US 4827431 A	Methods and systems for the simultaneous quantitative measurement of phase and amplitude	19890502 375/226
US 4771438 A	Method and apparatus for phase reference recovery in high speed fast turnaround modem	19880913 375/235
US 4713817 A	Multidimensional, convolutionally coded communication systems	19871215 714/758
NN9410693	Trellis Subset Decoder Algorithm Based on a Pattern Recognition Scheme	19941001
NN9409581	Unified Table Based Subset Decoder for the Viterbi Algorithm	19940901
US 20050036565 A	Soft decision decoder for use in receiver, has section to assign reliability-related value to soft	20050217
US 20040258172 A	Data rate optimizing method for use in digital communication system, involves comparing reliability	20041223
DE 19962162 A	Back mapping for digital communications	20000706

Interference checked

09/899,852 Eilon Riess

EAST SEARCH

2/23/06

L#	Hits	Search String	Databases
L1	1807	((digital or data) near2 communication) with (equalization or modulation or "symbol interferen	US-PGPUB
L2	1472	1 and (constellation\$1 or channel\$1)	US-PGPUB
L3	56	2 and (channel\$1 near2 gain)+C263	US-PGPUB
L4	0	3 and (reliable near2 symbol\$1)	US-PGPUB
L5	10	2 and (reliable near2 symbol\$1)	US-PGPUB
L6	0	5 and (reliable.CLM.)	US-PGPUB
L7	3	5 and (reliability.CLM.)	US-PGPUB

09/899,852 Eilon Riess

EAST SEARCH

2/23/06

Results of search set S95:

Document Kind	Codes	Title	Issue Date	Current OR	Abstract
US 20050135466	A1	Method for accurate estimation of noise for data modems	20050623	375/227	
US 20050129147	A1	Method and system for modulating and detecting high datarate symbol communications	20050616	375/324	
US 20050128938	A1	Channel estimation and synchronization with preamble using polyphase code	20050616	370/210	
US 20050123061	A1	Multidimensional signal modulation and/or demodulation for data communications	20050609	375/261	
US 20050113121	A1	Apparatus, and associated method, for communicating communication data in a multiple-inpu	20050526	455/501	
US 20050105631	A1	Full-diversity, full-rate complex-field space-time coding for wireless communication	20050519	375/267	
US 20050084029	A1	Apparatus and method for mode transition of a transmit diversity scheme in a mobile commu	20050421	375/267	
US 20050074070	A1	System and method for adapting to a change in constellation density while receiving a signal	20050407	375/265	
US 20050058215	A1	Decoding upstream V.92-encoded signals	20050317	375/262	
US 20050058213	A1	Bit allocation among carriers in multicarrier communications	20050317	375/260	
US 20050047517	A1	Adaptive modulation for multi-antenna transmissions with partial channel knowledge	20050303	375/267	
US 20050036565	A1	Methods and devices for decoding signals containing noise and distortion	20050217	375/262	
US 20050031097	A1	Gateway with voice	20050210	379/93.31	
US 20050018798	A1	Voice and data exchange over a packet based network with timing recovery	20050127	375/355	
US 20050010855	A1	Reduced complexity decoding for trellis coded modulation	20050113	714/796	
US 20050002464	A1	Data re-transferring method based on bit transformation	20050106	375/261	
US 20050002325	A1	Space-time-frequency coded OFDM communications over frequency-selective fading channe	20050106	370/208	

US 20040267852 A1	Algorithm for computing distances to a received point in an ADSL system	20041230 708/490
US 20040258172 A1	Method and system for data rate optimization in a digital communication system	20041223 375/261
US 20040252788 A1	Demodulation for phase modulation	20041216 375/329
US 20040252648 A1	Off-line broadband network interface	20041216 370/252
US 20040252632 A1	Method and apparatus for multi-user multi-input multi-output transmission	20041216 370/210
US 20040240577 A1	Partially coherent constellations for multiple-antenna systems	20041202 375/267
US 20040194006 A1	Algebraic geometric code adapted to error bursts	20040930 714/800
US 20040194004 A1	Trellis interleaver and feedback precoder	20040930 714/792
US 20040190649 A1	Joint, adaptive control of equalization, synchronization, and gain in a digital communications r	20040930 375/326
US 20040161059 A1	Signal estimation methods and apparatus	20040819 375/341
US 20040151256 A1	Apparatus and method for transmitting and receiving data in a mobile communication system	20040805 375/267
US 20040141548 A1	Software adaptable high performance multicarrier transmission protocol	20040722 375/146
US 20040136465 A1	Data transmission/reception apparatus and method for achieving both multiplexing gain and c	20040715 375/267
US 20040132416 A1	Equalisation apparatus and methods	20040708 455/82
US 20040128334 A1	Rsse optimization using hardware acceleration	20040701 708/409
US 20040120274 A1	CDMA transceiver techniques for wireless communications	20040624 370/320
US 20040114450 A1	Constellation mapping apparatus and method	20040617 365/230.03
US 20040109092 A1	Gain control for a high definition television demodulator	20040610 348/726
US 20040100897 A1	Carrier interferometry coding with applications to cellular and local area networks	20040527 370/206
US 20040096022 A1	Combining precoding with spectral shaping	20040520 375/353
US 20040091058 A1	QAM receiver and method for constellations having at least sixteen symbols	20040513 375/261
US 20040082356 A1	MIMO WLAN system	20040429 455/522
US 20040033983 A1	Process for modulation and determination of the bit loading on a transmission channel	20040226 714/758
US 20040038654 A1	Method and apparatus for generating a 64 state 4-D trellis code in DMT	20040226 455/130
US 20040037238 A1	Orthogonal code division multiple access on return link of satellite links	20040226 370/321
US 20040033808 A1	Method and system for determining relative positions of networked mobile communication de	20040219 455/456.1
US 20040028159 A1	Receivers, methods, and computer program products for an analog modem that receives dat	20040212 375/350
US 20040022179 A1	Wireless communication system having error-control coder and linear precoder	20040205 370/207
US 20040021595 A1	Method and system for implementing a sigma delta analog-to-digital converter	20040205 341/144
US 20040013190 A1	Method and apparatus for hybrid decision feedback equalization	20040122 375/233
US 20040013189 A1	Soft slicer in a hybrid decision feedback equalizer	20040122 375/233
US 20040001561 A1	Method and system for the transmission, reception and processing of 4-level and 8-level sign	20040101 375/308
US 20040001537 A1	Apparatus, and associated method, for performing joint equalization in a multiple-input, multir	20040101 375/229
US 20040001448 A1	System and method for transmitting highly correlated preambles in QAM constellations	20040101 370/260
US 20030235245 A1	Method and system for computing pre-equalizer coefficients	20031225 375/232
US 20030223505 A1	Data transceiver with filtering and precoding	20031204 375/261
US 20030223483 A1	DSL modem apparatus and reception method for DSL communication	20031204 375/222
US 20030223353 A1	Method and apparatus for decoding baseband orthogonal frequency division multiplex signal;	20031204 370/206
US 20030215023 A1	Multi-dimensional fractional number of bits modulation scheme	20031120 375/265
US 20030210750 A1	Multiple input, multiple output system and method	20031113 375/295

US 20030206559 A1	Method of determining a start of a transmitted frame in a frame-based communications network	20031106 370/509
US 20030202612 A1	Method and system for rate enhanced SHDSL	20031030 375/265
US 20030198288 A1	Modems, methods, and computer program products for selecting an optimum data rate using	20031023 375/222
US 20030194000 A1	Distinguishing between final coding of received signals in a PCM modem	20031016 375/222
US 20030189976 A1	PCM upstream data transmission server	20031009 375/222
US 20030185319 A1	Modified branch metrics for processing soft decisions to account for phase noise impact on clock	20031002 375/347
US 20030161258 A1	Apparatus, and associated method, for a multiple-input, multiple-output communications system	20030828 370/203
US 20030159100 A1	Turbo code based incremental redundancy	20030821 714/758
US 20030156656 A1	Carrierless backwards compatible data networking transmitter, receiver, and signal format	20030821 375/295
US 20030156592 A1	Carrier based backwards compatible data networking transmitter, receiver, and signal format	20030821 370/419
US 20030152023 A1	Orthogonal frequency division multiplexing system with differing control parameters corresponding to different data streams	20030814 370/208
US 20030152022 A1	Orthogonal frequency division multiplexing system with superframe synchronization using correlation	20030814 370/208
US 20030147343 A1	Linear space-time block code with block STTD structure	20030807 370/209
US 20030141938 A1	QUADRATURE VESTIGIAL SIDEBAND DIGITAL COMMUNICATIONS METHOD	20030731 332/103
US 20030138061 A1	Voice and data exchange over a packet based network with timing recovery	20030724 375/326
US 20030112796 A1	Voice and data exchange over a packet based network with fax relay spoofing	20030619 370/352
US 20030084394 A1	Multi-frequency data transmission channel power allocation	20030501 714/755
US 20030076890 A1	Method and apparatus for detection and decoding of signals received from a linear propagation channel	20030424 375/264
US 20030076889 A1	Constellation mapping for modulated communications	20030424 375/261
US 20030067992 A1	Optimal trellis code design for QPSK and higher order quadrature amplitude modulations	20030410 375/265
US 20030063664 A1	Adaptive thresholding for adaptive equalization	20030403 375/232
US 20030063654 A1	Space-time transmit diversity	20030403 375/130
US 20030048857 A1	Space-time transmit diversity	20030313 375/267
US 20030039217 A1	Apparatus and method for transmitting/receiving uplink transmission power offset and HS-DS	20030227 370/318
US 20030035469 A1	Linear minimum mean square error equalization with interference cancellation for mobile communications	20030220 375/150
US 20030021358 A1	128-Ary signal constellations suitable for non-linear amplification	20030130 375/297
US 20030002593 A1	M-ary signal constellations suitable for non-linear amplification	20030102 375/298
US 20020181389 A1	Channel estimation for wireless OFDM systems	20021205 370/208
US 20020172212 A1	Method and system for increasing data throughput in communications channels on an opportunistic basis	20021121 370/412
US 20020163932 A1	Method of providing synchronous transport of packets between asynchronous network nodes	20021107 370/465
US 20020141493 A1	Distinguishing between final coding of received signals in a PCM modem	20021003 375/222
US 20020136317 A1	Block coding for multilevel data communication	20020926 375/261
US 20020131441 A1	Method of determining an end of a transmitted frame in a frame-based communications network	20020919 370/441
US 20020118340 A1	Range-extending system and spatial filter for enhancing hartmann-shack images and associated methods	20020829 351/211
US 20020105928 A1	Method and apparatus for interference suppression in orthogonal frequency division multiplexing	20020808 370/334
US 20020090035 A1	Super-orthogonal space-time trellis codes, and applications thereof	20020711 375/265
US 20020080886 A1	Method for selecting frame encoding parameters in a frame-based communications network	20020627 375/295
US 20020075830 A1	Adaptive modulation for fixed wireless link in cable transmission system	20020620 370/333
US 20020057717 A1	Method of sharing information among a plurality of stations in a frame-based communications network	20020516 370/503
US 20020057713 A1	Method for selecting frame encoding parameters to improve transmission performance in a frame-based communications network	20020516 370/468

US 20020051501 A1	Use of turbo-like codes for QAM modulation using independent I and Q decoding techniques	20020502 375/298
US 20020044610 A1	DSL rate adaptation	20020418 375/261
US 20020044073 A1	System and method for Huffman shaping in a data communication system	20020418 341/65
US 20020042836 A1	Method of enhancing network transmission on a priority-enabled frame-based communicator	20020411 709/232
US 20020041570 A1	Method for providing dynamic adjustment of frame encoding parameters in a frame-based communication system	20020411 370/252
US 20020037055 A1	System and method of data communication using trellis coded modulation or turbo trellis coded modulation	20020328 375/265
US 20020034263 A1	Wireless communications	20020321 375/299
US 20020031190 A1	System and method of data communication using turbo trellis coded modulation combined with a method of controlling data sampling clocking of asynchronous network nodes in a frame-based communication system	20020314 375/265
US 20020027886 A1	Method of controlling data sampling clocking of asynchronous network nodes in a frame-based communication system	20020307 370/255
US 20020026523 A1	Method for distributing sets of collision resolution parameters in a frame-based communication system	20020228 709/236
US 20020012343 A1	Transceiver method and signal therefor embodied in a carrier wave for a frame-based communication system	20020131 370/389
US 20020006136 A1	Method for selecting an operating mode for a frame-based communications network	20020117 370/466
US 20010055311 A1	Method of determining a collision between a plurality of transmitting stations in a frame-based communication system	20011227 370/445
US 20010017900 A1	Method of transfer trellis code modulated digital data over a digital subscriber line, and related apparatus and method	20010830 375/265
US 6917559 B2	Constellation mapping apparatus and method	20050712 365/230.03
US 6914934 B1	Multiplier-free methods and apparatus for signal processing in a digital communication system	20050705 375/229
US 6909755 B2	Method and system for increasing data throughput in communications channels on an opportunistic basis	20050621 375/264
US 6904082 B2	DSL rate adaptation	20050607 375/220
US 6898204 B2	Method of determining a collision between a plurality of transmitting stations in a frame-based communication system	20050524 370/445
US 6891896 B1	Embedded signal constellations	20050510 375/264
US 6891881 B2	Method of determining an end of a transmitted frame in a frame-based communications network	20050510 375/143
US 6888844 B2	Method for selecting an operating mode for a frame-based communications network	20050503 370/466
US 6882634 B2	Method for selecting frame encoding parameters to improve transmission performance in a frame-based communication system	20050419 370/338
US 6877043 B2	Method for distributing sets of collision resolution parameters in a frame-based communication system	20050405 709/251
US 6870888 B1	Bit allocation among carriers in multicarrier communications	20050322 375/260
US 6868072 B1	Home phone line network architecture	20050315 370/276
US 6850577 B2	Voice and data exchange over a packet based network with timing recovery	20050201 375/326
US 6850493 B1	Off-line broadband network interface	20050201 370/252
US 6823002 B1	Linear block interleaver for discrete multi-tone modulation	20041123 375/219
US 6819719 B2	Method to transfer trellis code modulated digital data over a digital subscriber line, and related apparatus and method	20041116 375/262
US 6816548 B1	HDTV channel equalizer	20041109 375/233
US 6804267 B1	Transceiver training for DSL modems under TCM-ISDN interference	20041012 370/524
US 6795424 B1	Method and apparatus for interference suppression in orthogonal frequency division multiplexing	20040921 370/343
US 6788236 B2	Method and system for implementing a sigma delta analog-to-digital converter	20040907 341/155
US 6778597 B2	Distinguishing between final coding of received signals in a PCM modem	20040817 375/222
US 6765931 B1	Gateway with voice	20040720 370/493
US 6760347 B1	Off-line broadband network interface	20040706 370/516
US 6757859 B1	Parallel turbo trellis-coded modulation	20040629 714/755
US 6744814 B1	Method and apparatus for reduced state sequence estimation with tap-selectable decision-feedback	20040601 375/232
US 6715124 B1	Trellis interleaver and feedback precoder	20040330 714/792

US 6704324 B1	Apparatus and method for transmission of voice band signals over a DSL line	20040309 370/465
US 6693958 B1	Adaptive channel equalizer having a training mode	20040217 375/232
US 6690736 B1	Bit allocation in a transmission system	20040210 375/260
US 6668014 B1	Equalizer method and apparatus using constant modulus algorithm blind equalization and parallel processing	20031223 375/232
US 6665336 B2	MODEMS, METHODS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING AN OPTIMAL MODEM	20031216 375/225
US 6661837 B1	MODEMS, METHODS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING AN OPTIMAL MODEM	20031209 375/227
US 6654846 B1	High speed computer bus system with bi-directional transmission medium and interface device	20031125 710/305
US 6608869 B1	Dual-carrier heterodyne for separating orthogonal components of complex amplitude-modulated signals	20030819 375/261
US 6606355 B1	Channel coding in the presence of bit robbing	20030812 375/242
US 6606010 B1	Quadrature vestigial sideband digital communications method	20030812 332/103
US 6577683 B1	Method and device for generating signal constellations in PCM space for high speed data communication	20030610 375/242
US 6574285 B2	128-ary signal constellations suitable for non-linear amplification	20030603 375/297
US 6567477 B1	Two-dimensional constellations generation, pruning, and partial gray coding for bandwidth and power efficiency	20030520 375/295
US 6567475 B1	Method and system for the transmission, reception and processing of 4-level and 8-level signals	20030520 375/286
US 6565209 B2	Range-extending system and spatial filter for enhancing Hartmann-Shack images and associated methods	20030520 351/212
US 6560277 B2	Distinguishing between final coding of received signals in a PCM modem	20030506 375/222
US 6549587 B1	Voice and data exchange over a packet based network with timing recovery	20030415 375/326
US 6549584 B1	Coding scheme for cable modems	20030415 375/261
US 6504838 B1	Voice and data exchange over a packet based network with fax relay spoofing	20030107 370/352
US 6487244 B1	System and method for transmitting special marker symbol	20021126 375/222
US 6487243 B1	Modems, methods, and computer program products for recovering from errors in a tone reversal	20021126 375/222
US 6473878 B1	Serial-concatenated turbo codes	20021029 714/755
US 6466586 B1	Digital subscriber line framing structure supporting imbedded rate adaptive synchronous and asynchronous transmission	20021015 370/468
US 6421394 B1	Computer method and apparatus for modem port slicing	20020716 375/261
US 6389064 B1	Modems, methods, and computer program products for identifying a signaling alphabet in variable rate transmission	20020514 375/222
US 6389062 B1	Adaptive frequency domain equalizer circuits, systems, and methods for discrete multitone transmission	20020514 375/222
US 6385237 B1	Non-invasive digital cable test system	20020507 375/228
US 6381267 B1	Modems, methods, and computer program products for falling back to a lower data rate protocol	20020430 375/222
US 6377639 B1	Method, system, and apparatus for unambiguous phase synchronization	20020423 375/354
US 6366326 B1	System for acquiring, processing, and storing video data and program guides transmitted in digital format	20020402 348/558
US 6356555 B1	Apparatus and method for digital data transmission using orthogonal codes	20020312 370/441
US 6351832 B1	Turbo code symbol interleaver	20020226 714/701
US 6341360 B1	Decision feedback equalizers, methods, and computer program products for detecting severe fading	20020122 714/704
US 6310909 B1	DSL rate adaptation	20011030 375/220
US 6304594 B1	Interference detection and avoidance technique	20011016 375/222
US 6301315 B1	Methods and systems for symbol estimation in a receiver	20011009 375/346
US 6278730 B1	Non-invasive digital cable test system	20010821 375/224
US 6272171 B1	Robbed bit signaling identification in a PCM modem	20010807 375/222
US 6266795 B1	Turbo code termination	20010724 714/755
US 6266350 B1	Off-line broadband network interface	20010724 370/526

US 6259743 B1	Automatic constellation phase recovery in blind start-up of a dual mode CAP-QAM receiver	20010710 375/261
US 6233274 B1	Non-invasive digital cable test system	20010515 375/227
US 6219378 B1	Digital subscriber line modem initialization	20010417 375/231
US 6185249 B1	Translation table design for a PCM modem	20010206 375/222
US 6181737 B1	Distinguishing received A-law and μ -law signals in a PCM modem	20010130 375/222
US 6178200 B1	Constellation design for a PCM modem	20010123 375/222
US 6167095 A	Method and apparatus for variably allocating upstream and downstream communication spectrum	20001226 375/285
US 6167034 A	Rate adaptive digital subscriber line (RADSL) modem	20001226 370/281
US 6161203 A	Communication system utilizing Reed-Solomon code to achieve auto frame synchronization	20001212 714/707
US 6157678 A	Probabilistic trellis-coded modulation with PCM-derived constellations	20001205 375/243
US 6154871 A	Error detection and correction system for a stream of encoded data	20001128 714/795
US 6141378 A	Fractionally-spaced adaptively-equalized self-recovering digital receiver for amplitude-phase	20001031 375/232
US 6137829 A	System and method for transmitting special marker symbols	20001024 375/222
US 6131180 A	Trellis coded modulation system	20001010 714/790
US 6130894 A	Off-line broadband network interface	20001010 370/421
US 6115433 A	Adaptively-equalized digital receiver with carrier tracking	20000905 375/326
US 6101223 A	System and method for optimizing the uncoded modulation of circular constellations using circular	20000808 375/261
US 6097764 A	Pragmatic trellis-coded modulation system and method therefor	20000801 375/298
US 6088389 A	System and method for training a plurality of equalizers and a modem employing the system	20000711 375/231
US 6075816 A	Windowing technique for blind equalization	20000613 375/229
US 6061393 A	Non-invasive digital cable test system	20000509 375/224
US 6047175 A	Wireless communication method and device with auxiliary receiver for selecting different channels	20000404 455/452.1
US 6031873 A	Nested shell mapping	20000229 375/259
US 6026120 A	System and method for using circular constellations with uncoded modulation	20000215 375/261
US 6009121 A	Method and device for generating signal constellations in PCM space for high speed data communication	19991228 375/254
US 6005897 A	Data communication system and method therefor	19991221 375/340
US 6005893 A	Reduced complexity bit allocation to subchannels in a multi-carrier, high speed data transmission	19991221 375/260
US 6005840 A	Complementary encoding and modulation system for use in an orthogonal frequency division	19991221 370/206
US 5991308 A	Lower overhead method for data transmission using ATM and SC-DMA over hybrid fiber coax	19991123 370/395.53
US 5987069 A	Method and apparatus for variably allocating upstream and downstream communication spectrum	19991116 375/285
US 5986596 A	Concise storage and expansion of signal constellations in PCM space for high speed data communication	19991116 341/138
US 5970093 A	Fractionally-spaced adaptively-equalized self-recovering digital receiver for amplitude-phase	19991019 375/234
US 5946052 A	System for acquiring and processing video data and program guides transmitted in different channels	19990831 348/555
US 5946045 A	System for forming program guides and video data for storage and transmission in different channels	19990831 725/54
US 5940440 A	Generalized mult modulus technique for blind equalization	19990817 375/231
US 5862184 A	Mapper for high data rate transmission through channels subject to robbed bit signalling	19990119 375/295
US 5859877 A	Simultaneous analog and digital communication using fractional rate encoding	19990112 375/298
US 5844944 A	Simultaneous analog and digital communication using partitioning of bits into words	19981201 375/298
US 5838724 A	Spectral and power shaping mapper for high data rate signalling	19981117 375/222
US 5835731 A	Technique for improving the blind convergence of a two-filter adaptive equalizer	19981110 375/235

US 5809074 A	Technique for improving the blind convergence of an adaptive equalizer using a transition alg	19980915 37/5/233
US 5793818 A	Signal processing system	19980811 37/5/326
US 5793807 A	Multimodulus blind equalization using piecewise linear contours	19980811 37/5/233
US 5793759 A	Apparatus and method for digital data transmission over video cable using orthogonal cyclic c	19980811 37/0/342
US 5774500 A	Multi-channel trellis shaper	19980630 37/5/261
US 5751701 A	Rate adaptive digital subscriber line ("RADSL") modem	19980512 37/0/281
US 5742643 A	Quantizing and decoding of phase-amplitude modulated signals in hexagonal code	19980421 37/5/243
US 5742622 A	Error detection and correction system for a stream of encoded data	19980421 714/789
US 5729173 A	Demodulation of quadrature amplitude modulation signals	19980317 329/308
US 5724396 A	Signal processing system	19980303 37/5/355
US 5684834 A	Simultaneous analog and digital communication using fractional rate encoding	19971104 37/5/298
US 5659583 A	Tone canceller for QAM demodulator	19970819 37/5/346
US 5621761 A	Rotationally invariant trellis coding incorporating transparent binary convolutional codes	19970415 37/5/265
US 5619540 A	Transmission system using block-coded or trellis-coded modulations, receiver and decoder fr	19970408 37/5/341
US 5606578 A	Radio with peak power and bandwidth efficient modulation using asymmetric symbol constelli	19970225 37/5/298
US 5598432 A	Equalizing received signal samples by receiving input in a first register at a first rate greater th	19970128 37/5/229
US 5537439 A	Decision directed algorithm control method	19960716 37/5/232
US 5533048 A	Apparatus and method for compensating for limiter induced non-linear distortion in a wireless	19960702 37/5/222
US 5506866 A	Side-channel communications in simultaneous voice and data transmission	19960409 37/5/216
US 5475691 A	Voice activated date rate change in simultaneous voice and data transmission	19951212 37/0/527
US 5442626 A	Digital communications system with symbol multiplexers	19950815 37/0/207
US 5428641 A	Device and method for utilizing zero-padding constellation switching with frame mapping	19950627 37/5/295
US 5398260 A	Method and apparatus for restoring multi level/phase modulation data	19950314 37/5/286
US 5396518 A	Apparatus and method for communicating digital data using trellis coding with punctured con	19950307 37/5/265
US 5388124 A	Precoding scheme for transmitting data using optimally-shaped constellations over intersymb	19950207 37/5/286
US 5384810 A	Modulo decoder	19950124 37/5/340
US 5365549 A	Complex signal correlator and method therefor	19941115 37/5/343
US 5311547 A	Partial-response-channel precoding	19940510 37/5/290
US 5295159 A	Coordinated coding for digital transmission	19940315 37/5/260
US 5258987 A	Multilevel coding using trellis-coded modulation and reed-solomon codes	19931102 714/758
US 5222077 A	Radix mapping with variable number of symbols in mapping period	19930622 37/5/261
US 5195107 A	Technique for compensating for intersymbol interference	19930316 37/5/290
US 5185763 A	Data bit to constellation symbol mapper	19930209 37/5/262
US 5119403 A	Superframes	19920602 37/5/261
US 5067139 A	Coherent detector for QPSK modulation in a TDMA system	19911119 37/5/332
US 5058136 A	Coherent detection for QPSK modulation	19911015 37/5/332
US 5042052 A	Carrier acquisition scheme for QAM and QPSK data	19910820 37/5/344
US 5029185 A	Coded modulation for mobile radio	19910702 37/5/245
US 4980897 A	Multi-channel trellis encoder/decoder	19901225 37/5/265
US 4959842 A	Signal constellations	19900925 37/5/261

US 4891806 A	Constellation multiplexed inband secondary channel for voiceband modem	19900102 370/503
US 4847797 A	Adaptive blind equalization method and device	19890711 708/3
US 4827431 A	Methods and systems for the simultaneous quantitative measurement of phase and amplitude	19890502 375/226
US 4771438 A	Method and apparatus for phase reference recovery in high speed fast turnaround modem	19880913 375/235
US 4713817 A	Multidimensional, convolutionally coded communication systems	19871215 714/758
NN9410693	Trellis Subset Decoder Algorithm Based on a Pattern Recognition Scheme	19941001
NN9409581	Unified Table Based Subset Decoder for the Viterbi Algorithm	19940901
US 20050036565 A	Soft decision decoder for use in receiver, has section to assign reliability-related value to so-r	20050217
US 20040258172 A	Data rate optimizing method for use in digital communication system, involves comparing rate	20041223
DE 19962162 A	Back mapping for digital communications	20000706

Results of search set : 2 and (channel\$1 near2 gain)

<u>Document Kind Code Title</u>	<u>Issue Date</u>	<u>Current OR</u>	<u>Abstract</u>
US 20050201478 A1	20050915 375/261		
US 20040224651 A1	20041111 455/114.2		
US 20040062318 A1	20040401 375/264		
US 20030123595 A1	20030703 375/376		
US 20030112914 A1	20030619 375/376		
US 20030091098 A1	20030515 375/133		
US 20030012274 A1	20030116 375/232		
US 20030001974 A1	20030102 348/614		
US 20020199153 A1	20021226 714/781		
US 20020198862 A1	20021226 375/265		